

广安市广安区渠江沿线污水处理设施同步建设运行示范项目竣工验收公告


和七、八、九、十（條一、二、三、四）項。

Age Group	Percentage
18-24	~10%
25-34	~35%
35-44	~25%
45-54	~20%
55-64	~15%
65-74	~10%
75-84	~5%
85+	~2%

Figure 1: Experimental setup. A subject is seated at a table, viewing a video screen. A camera is positioned above the screen. A light source is positioned to the left of the screen. A scale bar is shown below the screen. The screen displays a target (a small circle) and a starting point (a larger circle). The subject's hand is positioned at the starting point. The target is located at a distance of 10 cm from the starting point. The scale bar indicates a distance of 10 cm. The diagram is labeled 'Figure 1' and 'Experimental setup'.

Figure 1. The effect of the concentration of the inhibitor on the rate of polymerization of methyl methacrylate in benzene at 60°C. The concentration of the initiator was 0.001 mole/l. and the concentration of the monomer was 0.1 mole/l. The concentration of the inhibitor was 0.001 mole/l. (○), 0.002 mole/l. (●), 0.004 mole/l. (▲), 0.008 mole/l. (△), 0.016 mole/l. (□), 0.032 mole/l. (◇), 0.064 mole/l. (×), 0.128 mole/l. (○), 0.256 mole/l. (●), 0.512 mole/l. (▲), 1.024 mole/l. (△), 2.048 mole/l. (□), 4.096 mole/l. (◇), 8.192 mole/l. (×), 16.384 mole/l. (○), 32.768 mole/l. (●), 65.536 mole/l. (▲), 131.072 mole/l. (△), 262.144 mole/l. (□), 524.288 mole/l. (◇), 1048.576 mole/l. (×), 2097.152 mole/l. (○), 4194.304 mole/l. (●), 8388.608 mole/l. (▲), 16777.216 mole/l. (△), 33554.432 mole/l. (□), 67108.864 mole/l. (◇), 134217.728 mole/l. (×), 268435.456 mole/l. (○), 536870.912 mole/l. (●), 1073741.824 mole/l. (▲), 2147483.648 mole/l. (△), 4294967.296 mole/l. (□), 8589934.592 mole/l. (◇), 17179869.184 mole/l. (×), 34359738.368 mole/l. (○), 68719476.736 mole/l. (●), 137438953.472 mole/l. (▲), 274877906.944 mole/l. (△), 549755813.888 mole/l. (□), 1099511627.776 mole/l. (◇), 2199023255.552 mole/l. (×), 4398046511.104 mole/l. (○), 8796093022.208 mole/l. (●), 17592186044.416 mole/l. (▲), 35184372088.832 mole/l. (△), 70368744177.664 mole/l. (□), 140737488355.328 mole/l. (◇), 281474976710.656 mole/l. (×), 562949953421.312 mole/l. (○), 1125899906842.624 mole/l. (●), 2251799813685.248 mole/l. (▲), 4503599627370.496 mole/l. (△), 9007199254740.992 mole/l. (□), 18014398509481.984 mole/l. (◇), 36028797018963.968 mole/l. (×), 72057594037927.936 mole/l. (○), 144115188075855.872 mole/l. (●), 288230376151711.744 mole/l. (▲), 576460752303423.488 mole/l. (△), 1152921504606846.976 mole/l. (□), 2305843009213693.952 mole/l. (◇), 4611686018427387.904 mole/l. (×), 9223372036854775.808 mole/l. (○), 18446744073709551.616 mole/l. (●), 36893488147419103.232 mole/l. (▲), 73786976294838206.464 mole/l. (△), 147573952589676412.928 mole/l. (□), 295147905179352825.856 mole/l. (◇), 590295810358705651.712 mole/l. (×), 1180591620717411303.424 mole/l. (○), 2361183241434822606.848 mole/l. (●), 4722366482869645213.696 mole/l. (▲), 9444732965739290427.392 mole/l. (△), 18889465931478580854.784 mole/l. (□), 37778931862957161709.568 mole/l. (◇), 75557863725914323419.136 mole/l. (×), 151115727451828646838.272 mole/l. (○), 302231454903657293676.544 mole/l. (●), 604462909807314587353.088 mole/l. (▲), 1208925819614629174706.176 mole/l. (△), 2417851639229258349412.352 mole/l. (□), 4835703278458516698824.704 mole/l. (◇), 9671406556917033397649.408 mole/l. (×), 19342813113834066795298.816 mole/l. (○), 38685626227668133590597.632 mole/l. (●), 77371252455336267181195.264 mole/l. (▲), 154742504910672534362390.528 mole/l. (△), 309485009821345068724781.056 mole/l. (□), 618970019642690137449562.112 mole/l. (◇), 1237940039285380274899124.224 mole/l. (×), 2475880078570760549798248.448 mole/l. (○), 4951760157141521099596496.896 mole/l. (●), 9903520314283042199192993.792 mole/l. (▲), 19807040628566084398385987.584 mole/l. (△), 39614081257132168796771975.168 mole/l. (□), 79228162514264337593543950.336 mole/l. (◇), 158456325028528675187087900.672 mole/l. (×), 316912650057057350374175801.344 mole/l. (○), 633825300114114700748351602.688 mole/l. (●), 1267650600228229401496703205.376 mole/l. (▲), 2535301200456458802993406410.752 mole/l. (△), 5070602400912917605986812821.504 mole/l. (□), 10141204801825835211973625643.008 mole/l. (◇), 20282409603651670423947251286.016 mole/l. (×), 40564819207303340847894502572.032 mole/l. (○), 81129638414606681695789005144.064 mole/l. (●), 162259276829213363391578010288.128 mole/l. (▲), 324518553658426726783156020576.256 mole/l. (△), 649037107316853453566312041152.512 mole/l. (□), 1298074214633706907132624082305.024 mole/l. (◇), 2596148429267413814265248164610.048 mole/l. (×), 5192296858534827628530496329220.096 mole/l. (○), 10384593717069655257060992658440.192 mole/l. (●), 20769187434139310514121985316880.384 mole/l. (▲), 41538374868278621028243970633760.768 mole/l. (△), 83076749736557242056487941267521.536 mole/l. (□), 166153499473114484112975882535043.072 mole/l. (◇), 332306998946228968225951765070086.144 mole/l. (×), 664613997892457936451903530140172.288 mole/l. (○), 1329227995784915872903807060280344.576 mole/l. (●), 2658455991569831745807614120560689.152 mole/l. (▲), 5316911983139663491615228241121378.304 mole/l. (△), 10633823966279326983230456482242756.608 mole/l. (□), 21267647932558653966460912964485513.216 mole/l. (◇), 42535295865117307932921825928971026.432 mole/l. (×), 85070591730234615865843651857942052.864 mole/l. (○), 170141183460469231731687303715884105.728 mole/l. (●), 340282366920938463463374607431768211.456 mole/l. (▲), 680564733841876926926749214863536422.912 mole/l. (△), 1361129467683753853853498429727072845.824 mole/l. (□), 2722258935367507707706996859454145691.648 mole/l. (◇), 5444517870735015415413993718908291383.296 mole/l. (×), 10889035741470030830827987437816582766.592 mole/l. (○), 21778071482940061661655974875633165533.184 mole/l. (●), 43556142965880123323311949751266331066.368 mole/l. (▲), 87112285931760246646623899502532662132.736 mole/l. (△), 174224571863520493293247799005065

本人定于谈判邀请在广告公司资源广告



文件接收时间：2025年8月21日 08:00-09:30（北京时间）。

八、谈判地点（递交响应文件地点）：广安发展咨询有限公司

（广安益安大道二段2号）广安土地集团办公楼。